








Tipo A







Tipo B

		Dimensões									
Tipo		A	B	C	D1	D2	E1	E2	F	M	U
A	1	6,0	8,0	23,1	15,7	13,7	12,5	11,5	5,2	2,5	13,0
B	1	5,9	7,5	28,0	18,5	17,4	15,7	14,4	4,8	3,5	15,5





		Dimensões				
Tipo		Cor	Código	Ø Furo	Espes.	Ø Cabo
A	1	Vermelha	100060	6,9 ~ 8,4	0,7 ~ 1,0	11,5 Máximo
B	1	Preta	100078	7,5 ~ 8,8	0,7 ~ 1,0	14,4 Máximo




Tipo A

Tipo B

		Dimensões													
Tipo		A	B	C	D	G	M	Q	U	AE	AH	AJ	AK	AN	AQ
A	1	8,8	15,0	15,0	7,5	8,0	3,6	-	9,0	3,2	21,0	33,0	45,0	34,4	18,1
B	1	4,5	13,0	21,5	10,0	5,8	-	12,0	23,0	-	-	-	-	-	-
B	2	4,6	13,0	21,5	10,0	5,9	-	10,0	23,0	-	-	-	-	-	-





		Dimensões							
Tipo		Cor	Código	Parafuso	Espess.	Ø Furo 1	Ø Furo 2	Ø Tubo 1	Ø Tubo 2
A	1	Preta	100995	-	1,0 ~ 2,8	3,2	8,1 ~ 8,5	7,5	-
B	1	Natural	101718	M5	0,5 ou >	5,5 ~ 6,5	-	10,0	12,0
B	2	Natural	101954	M5	0,5 ou >	5,5 ~ 6,5	-	10,0	10,0




	400092	400068	400093	400094	400069	400079	400080	400081
								
Dimensões								
ØA	6,0	8,0	10,0	10,0	17,0	18,9	18,6	23,0

Tipo	Peça	Combinações							
A	1	101751		X			X		
	2	101917						X	X
	3	102310	X		X				
	4	102327			X	X			
	5	500379		X				X	
	6	500380		X					X
	7	500381				X	X		
	8	500382					X		X
	9	500494	X			X			
	10	500495	X					X	
	11	500496	X						X
	12	500497			X	X			
	13	500498			X			X	
	14	500499			X				X
	15	500500		X	X				
	16	500501			X		X		



Distância entre centros (Cota C)								
Tipo A								
Rot. A	1	2	3	4	5	6	7	8
0°-180°	22,1	29,8	17,0	19,0	24,6	26,4	27,9	32,1
90°-270°	22,1	29,8	17,0	19,0	24,6	26,4	27,9	32,1
Rot. A	9	10	11	12	13	14	15	16
0°-180°	21,2	23,7	25,3	23,2	25,4	27,3	17,9	23,7
90°-270°	21,2	23,7	25,3	23,2	25,4	27,3	17,9	23,7



A1



A2




A3



A4




A5




A6



A7





A8



A9

		400093	400069	400080	400081	400082
						
Dimensões						
ØA		10,0	17,0	18,6	23,0	-
Tipo	Peça	Combinações				
A	1 101923			X	X	X
	2 500383		X X			X
	3 500384		X	X		X
	4 500385		X		X	X
	5 500386			X X		X
	6 500387				X X	X
	7 500502	X	X			X
	8 500503	X		X		X
	9 500504	X			X	X



		Distância entre centros (Cota C)								
		Tipo A								
Rot. A	Rot. B	1	2	3	4	5	6	7	8	9
0°-180°	0°-180°	33,4	28,8	30,4	31,6	32,2	34,7	23,5	27,5	28,8
90°-270°	0°-180°	33,4	28,8	30,4	31,6	32,2	54,4	23,5	27,5	28,8
0°-180°	90°-270°	33,4	28,8	30,4	31,6	32,2	34,9	23,5	27,5	28,8
90°-270°	90°-270°	33,4	28,8	30,4	31,6	32,2	34,7	23,5	27,5	28,8